

**ACELEPRYN TURF INSECTICIDE**

Version 4.0      Revision Date: 30.07.2025      SDS Number: S00082685942      Date of last issue: -  
Date of first issue: 30.07.2025

**SECTION 1: IDENTIFICATION**

Product name : ACELEPRYN TURF INSECTICIDE

Design code : A16130J

**Manufacturer or supplier's details**

Company : Syngenta Australia Pty Ltd (ABN 33 002 933 717)  
www.syngenta.com.au

Address : 2 Lyonpark Road  
Macquarie Park NSW 2113  
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)  
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

**Recommended use of the chemical and restrictions on use**

Recommended use : Insecticide

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
chlorantraniliprole	500008-45-7	>= 10 -< 30
propane-1,2-diol	57-55-6	< 10

**SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

- you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Bromine compounds  
Chlorine compounds
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Hazchem Code : •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
chlorantraniliprole	500008-45-7	TWA	5 mg/m <sup>3</sup>	Syngenta
		TWA	10 mg/m <sup>3</sup> (Total dust)	Supplier
		TWA	5 mg/m <sup>3</sup> (Respirable dust)	Supplier
propane-1,2-diol	57-55-6	TWA (partic-	10 mg/m <sup>3</sup>	AU OEL

## ACELEPRYN TURF INSECTICIDE

Version 4.0      Revision Date: 30.07.2025      SDS Number: S00082685942      Date of last issue: -  
Date of first issue: 30.07.2025

		ulate)		
		TWA (Total (vapour and particles))	150 ppm 474 mg/m <sup>3</sup>	AU OEL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection**

**Remarks** : No special protective equipment required.  
**Eye protection** : No special protective equipment required.  
**Skin and body protection** : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

**Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid  
**Colour** : grey  
**Odour** : like alcohol, weak

**ACELEPRYN TURF INSECTICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

---

Odour Threshold : No data available

pH : 5 - 9  
Concentration: 1 %w/v

6.6  
Concentration: 100 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Pensky-Martens closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.09 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 535 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

**ACELEPRYN TURF INSECTICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No decomposition if used as directed.  
Incompatible materials : None known.  
Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Components:****chlorantraniliprole:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**ACELEPRYN TURF INSECTICIDE**

Version 4.0      Revision Date: 30.07.2025      SDS Number: S00082685942      Date of last issue: -  
Date of first issue: 30.07.2025

---

**propane-1,2-diol:**

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****chlorantraniliprole:**

Species : Rabbit  
Result : No skin irritation

**propane-1,2-diol:**

Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****chlorantraniliprole:**

Species : Rabbit  
Result : No eye irritation

**propane-1,2-diol:**

Result : No eye irritation

**ACELEPRYN TURF INSECTICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

---

**Respiratory or skin sensitisation****Product:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Does not cause skin sensitisation.

**Components:****chlorantraniliprole:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

**propane-1,2-diol:**

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

**Chronic toxicity****Germ cell mutagenicity****Components:****chlorantraniliprole:**

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

**propane-1,2-diol:**

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

**Carcinogenicity****Components:****chlorantraniliprole:**

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
------------------------------	---	---

**propane-1,2-diol:**

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
------------------------------	---	---

**Reproductive toxicity****Components:****chlorantraniliprole:**

Reproductive toxicity - Assessment	:	No toxicity to reproduction
------------------------------------	---	-----------------------------

**propane-1,2-diol:**

Reproductive toxicity - Assessment	:	No toxicity to reproduction, No effects on or via lactation
------------------------------------	---	---

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

essment

### STOT - single exposure

#### Components:

##### **chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### **chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

#### Components:

##### **chlorantraniliprole:**

No aspiration toxicity classification

##### **propane-1,2-diol:**

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.052 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

plants 100 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):  
31.3 mg/l  
Exposure time: 96 h

### Components:

#### **chlorantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2  
plants mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l  
icity) Exposure time: 90 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity)

NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l  
Exposure time: 28 d

#### **propane-1,2-diol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other : (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):  
plants 19,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l  
aquatic invertebrates (Chron- Exposure time: 7 d  
ic toxicity) Test Type: semi-static test

**ACELEPRYN TURF INSECTICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

---

**Persistence and degradability****Components:****chlorantraniliprole:**

Biodegradability : Result: Not readily biodegradable.

**propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Components:****chlorantraniliprole:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.76 (20 °C)

**Mobility in soil****Components:****chlorantraniliprole:**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 530 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Persistent in soil.**Other adverse effects****Components:****chlorantraniliprole:**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Remarks: Weight of EvidenceEndocrine disrupting potential : Substance does not have endocrine disrupting properties.  
Remarks: Weight of Evidence

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

Contaminated packaging : local regulations.

: Non-returnable containers:  
Triple rinse containers.  
Add rinsings to spray tank  
If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUSTER collection site (02 6206 6868, www.drummuster.org.au). Empty containers can be landfilled, when in accordance with the local regulations.  
If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.  
Returnable containers:  
Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (CHLORANTRANILIPROLE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

## ACELEPRYN TURF INSECTICIDE

Version 4.0	Revision Date: 30.07.2025	SDS Number: S00082685942	Date of last issue: - Date of first issue: 30.07.2025
----------------	------------------------------	-----------------------------	--

### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: •3Z
Environmentally hazardous	: yes
Remarks	: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Dangerous Goods Code when transported by road or rail in: packagings, IBC's, or any other receptacle not exceeding 500 kg / 500 litres.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	: No poison schedule number allocated
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of

## ACELEPRYN TURF INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

Product Registration Number : the model WHS Act and Regulations.  
: APVMA Approval No. 63085

### SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 30.07.2025  
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

Syngenta : Syngenta Occupational Exposure Limit

AU OEL / TWA : Exposure standard - time weighted average

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

**ACELEPRYN TURF INSECTICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	30.07.2025	S00082685942	Date of first issue: 30.07.2025

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / 6N