

**PRIMO 250 EC**

Version 7.1      Revision Date: 30.04.2025      SDS Number: S00049653963      Date of last issue: 18.04.2025  
Date of first issue: 18.04.2025

---

**Section 1: Identification**

Product name : PRIMO 250 EC

Design code : A7725M

**Manufacturer or supplier's details**

Company : Syngenta Crop Protection Limited

Address : Level 4, 60 Parnell Road, Parnell  
Auckland  
New Zealand

Telephone : 09 306 1500 (weekdays)

Emergency telephone number : 0800 POISON (0800 764766) (National Poisons & Hazchem  
Information Centre)  
0800 734 607(Syngenta - 24 hours)

Telefax : None

**Recommended use of the chemical and restrictions on use**

Recommended use : Plant growth regulator

---

**Section 2: Hazard identification****GHS Classification**

Flammable liquids : Category 4

Skin sensitisation : Category 1

Hazardous to the aquatic  
environment - acute hazard : Category 1

Hazardous to the aquatic  
environment - chronic hazard : Category 1

Hazardous to the environment : Hazardous to soil organisms

**GHS label elements**

Hazard pictograms :



Signal word : Warning

---

## PRIMO 250 EC

Version 7.1      Revision Date: 30.04.2025      SDS Number: S00049653963      Date of last issue: 18.04.2025  
Date of first issue: 18.04.2025

Hazard statements : H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H423 Harmful to the soil environment.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**  
P403 Store in a well-ventilated place.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
trinexapac-ethyl (ISO)	95266-40-3	>= 25 -< 30
2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol	78330-21-9	>= 20 -< 25
toluene	108-88-3	>= 0.1 -< 0.25

### Section 4: First-aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

## PRIMO 250 EC

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

If inhaled	: Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Most important symptoms and effects, both acute and delayed	: Aspiration may cause pulmonary oedema and pneumonitis. May cause an allergic skin reaction.
Notes to physician	: There is no specific antidote available. Treat symptomatically. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### Section 5: Fire-fighting measures

Suitable extinguishing media	: Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	: Wear full protective clothing and self-contained breathing apparatus.

## PRIMO 250 EC

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

Hazchem Code : 3Z

### Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### Section 7: Handling and storage

- Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
trinexapac-ethyl (ISO)	95266-40-3	TWA	5 mg/m <sup>3</sup>	Syngenta
toluene	108-88-3	WES-TWA	20 ppm 75 mg/m <sup>3</sup>	NZ OEL
Further information: Ototoxin, Exposure can also be estimated by				

## PRIMO 250 EC

Version 7.1      Revision Date: 30.04.2025      SDS Number: S00049653963      Date of last issue: 18.04.2025  
Date of first issue: 18.04.2025

	biological monitoring, Skin absorption		
	WES-STEL	100 ppm 377 mg/m <sup>3</sup>	NZ OEL
	Further information: Ototoxin, Exposure can also be estimated by biological monitoring, Skin absorption		
	TWA	20 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
toluene	108-88-3	Toluene	Urine	End of exposure or end of shift	0.03 mg/l	NZ BEI
		o-Cresol	Urine	End of exposure or end of shift	0.3 mg/g creatinine	NZ BEI
		Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g creatinine	ACGIH BEI

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

## PRIMO 250 EC

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

### Section 9: Physical and chemical properties

Appearance : liquid  
Colour : brown orange  
Odour : unpleasant  
Odour Threshold : No data available

**PRIMO 250 EC**

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

pH : 2 - 6  
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 80 °C  
Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.96 - 1.00 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 250 °C

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 10.01 mPa,s ( 20 °C)  
5.45 mPa,s ( 40 °C)  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 28.2 - 28.5 mN/m, 7.500 g/l, 20 °C

Particle characteristics  
Particle size : No data available

**PRIMO 250 EC**

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

**Section 10: Stability and reactivity**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Section 11: Toxicological information**

Exposure routes	:	Ingestion Inhalation Skin contact Eye contact
-----------------	---	--

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.51 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 4,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Components:****trinexapac-ethyl (ISO):**

Acute oral toxicity	:	LD50 (Rat, male and female): 4,460 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.69 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 4,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**PRIMO 250 EC**

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

**2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**toluene:**

Acute oral toxicity : LD50 (Rat, male): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 25.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Result : No skin irritation

Species : Rabbit  
Result : Repeated exposure may cause skin dryness or cracking.

**Components:****trinexapac-ethyl (ISO):**

Species : Rabbit  
Result : No skin irritation

**toluene:**

Species : Rabbit  
Result : Irritating to skin.

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Result : No eye irritation

**PRIMO 250 EC**

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

**Components:****trinexapac-ethyl (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

**2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol:**

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

**toluene:**

Species	:	Rabbit
Result	:	No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified due to lack of data.

**Product:**

Species	:	Guinea pig
Result	:	The product is a skin sensitiser, sub-category 1B.

**Components:****trinexapac-ethyl (ISO):**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Does not cause skin sensitisation.

**toluene:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

**Chronic toxicity****Germ cell mutagenicity**

Not classified due to lack of data.

**Components:****trinexapac-ethyl (ISO):**

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

**toluene:**

Germ cell mutagenicity -	:	Animal testing did not show any mutagenic effects.
--------------------------	---	--

**PRIMO 250 EC**

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

Assessment

**Carcinogenicity**

Not classified due to lack of data.

**Components:****trinexapac-ethyl (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**toluene:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Components:****trinexapac-ethyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**toluene:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified due to lack of data.

**Components:****trinexapac-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**toluene:**Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.**STOT - repeated exposure**

Not classified due to lack of data.

**Components:****trinexapac-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## PRIMO 250 EC

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

### toluene:

Exposure routes	:	Inhalation
Target Organs	:	Central nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### toluene:

May be fatal if swallowed and enters airways.

## Section 12: Ecological information

### Ecotoxicity

#### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): 2.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l Exposure time: 96 h  ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l Exposure time: 7 d  NOEC (Anabaena flos-aquae (cyanobacterium)): 8.0 mg/l End point: Growth rate Exposure time: 96 h  NOEC (Lemna gibba (gibbous duckweed)): 8.0 mg/l End point: Frond growth Exposure time: 7 d
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d  EC50 (Eisenia fetida (earthworms)): Calculated value > 100 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 107.8 µg/bee Exposure time: 48 h End point: Acute oral toxicity  LD50 (Apis mellifera (bees)): 69.6 µg/bee

## PRIMO 250 EC

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

Exposure time: 48 h  
End point: Acute contact toxicity

LD50 (*Colinus virginianus* (Bobwhite quail)): > 2,000 mg/kg  
End point: Acute oral toxicity

### Components:

#### trinexapac-ethyl (ISO):

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 68 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates                    | : | LC50 ( <i>Americamysis</i> ): 6.5 mg/l<br>Exposure time: 96 h  |
| Toxicity to algae/aquatic plants                                       | : | ErC50 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 24.5 mg/l<br>Exposure time: 96 h                           |
|  |   | EC10 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 13.39 mg/l<br>End point: Growth rate<br>Exposure time: 72 h |
|  |   | ErC50 ( <i>Myriophyllum spicatum</i> (Eurasian watermilfoil)): 1.2 mg/l<br>Exposure time: 14 d                               |
|  |   | EC10 ( <i>Myriophyllum spicatum</i> (Eurasian watermilfoil)): 0.011 mg/l<br>End point: Growth rate<br>Exposure time: 14 d    |
| Toxicity to fish (Chronic toxicity)                                    | : | EC10 ( <i>Pimephales promelas</i> (fathead minnow)): 1.37 mg/l<br>Exposure time: 35 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC ( <i>Daphnia magna</i> (Water flea)): 2.4 mg/l<br>Exposure time: 21 d   |
| M-Factor (Chronic aquatic toxicity)                                    | : | 1  |
| Toxicity to microorganisms   | : | EC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h  |
| Toxicity to soil dwelling organisms                                    | : | LC50 ( <i>Eisenia fetida</i> (earthworms)): > 93 mg/kg<br>Exposure time: 14 d  |
|  |   | EC50 ( <i>Eisenia fetida</i> (earthworms)): Calculated value > 9.3 mg/kg<br>Exposure time: 14 d                              |
| Toxicity to terrestrial organ-   | : | LD50 ( <i>Poephila guttata</i> (zebra finch)): Calculated value 1,684  |

## PRIMO 250 EC

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

isms

mg/kg  
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity

### 2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l  
Exposure time: 96 h

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### toluene:

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 5.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.78 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 1.39 mg/l  
Exposure time: 40 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 0.74 mg/l  
Exposure time: 7 d

### Persistence and degradability

#### Components:

#### trinexapac-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d  
Remarks: Product is not persistent.

### 2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol:

Biodegradability : Result: Biodegradable

### toluene:

Biodegradability : Result: Readily biodegradable.

**PRIMO 250 EC**

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

**Bioaccumulative potential****Components:****trinexapac-ethyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

**toluene:**

Bioaccumulation : Remarks: Does not bioaccumulate.

**Mobility in soil****Components:****trinexapac-ethyl (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: < 0.2 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.**Other adverse effects****Components:****trinexapac-ethyl (ISO):**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).**2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol:**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).**toluene:**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).**Section 13: Disposal considerations****Disposal methods**Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Refer to the product label for specific disposal/recycling information

## PRIMO 250 EC

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Add rinsings to spray tank  
Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)).  
Empty containers can be landfilled, when in accordance with the local regulations.  
Do not re-use empty containers.

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(TRINEXAPAC-ETHYL)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(TRINEXAPAC-ETHYL)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## PRIMO 250 EC

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

	(TRINEXAPAC-ETHYL)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 3Z
Marine pollutant	: no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### HSNO Approval Number

HSR000802

ACVM Reg. not required

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

#### HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Record keeping is required

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

## PRIMO 250 EC

Version 7.1	Revision Date: 30.04.2025	SDS Number: S00049653963	Date of last issue: 18.04.2025 Date of first issue: 18.04.2025
----------------	------------------------------	-----------------------------	---

### Section 16: Other information

Revision Date : 30.04.2025  
Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
NZ BEI : New Zealand. Biological Exposure Indices  
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants  
Syngenta : Syngenta Occupational Exposure Limit  
ACGIH / TWA : 8-hour, time-weighted average  
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average  
NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit  
Syngenta / TWA : Time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide-

**PRIMO 250 EC**

Version	Revision Date:	SDS Number:	Date of last issue: 18.04.2025
7.1	30.04.2025	S00049653963	Date of first issue: 18.04.2025

---

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / 6N