

TENACITY

Version 4.0 Revision Date: 22.04.2025 SDS Number: S1354362565 Date of last issue: -
Date of first issue: 22.04.2025

Section 1: Identification

Product name : TENACITY

Design code : A12738A

Manufacturer or supplier's details

Company : Syngenta Crop Protection Limited

Address : Level 4, 60 Parnell Road, Parnell
Auckland
New Zealand

Telephone : 09 306 1500 (weekdays)

Emergency telephone number : 0800 POISON (0800 764766) (National Poisons & Hazchem
Information Centre)
0800 734 607(Syngenta - 24 hours)

Telefax : None

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Section 2: Hazard identification**GHS Classification**

Eye irritation : Category 2

Specific target organ toxicity - repeated exposure : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

Hazardous to the environment : Hazardous to soil organisms

GHS label elements

Hazard pictograms : 

Signal word : Danger

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

Hazard statements : H319 Causes serious eye irritation.
H372 Causes damage to organs through prolonged or repeated exposure if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H421 Very toxic to the soil environment.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mesotrione (ISO)	104206-82-8	>= 30 -< 50
ethanediol	107-21-1	>= 10 -< 20
xylene	1330-20-7	>= 0.1 -< 0.25

Section 4: First-aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,
for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this
container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
Causes damage to organs through prolonged or repeated exposure.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Hazchem Code : 3Z

Section 6: Accidental release measures

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

Section 7: Handling and storage

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mesotrione (ISO)	104206-82-8	TWA	5 mg/m ³	Syngenta
ethanediol	107-21-1	WES-Ceiling (Vapour and mist)	50 ppm 127 mg/m ³	NZ OEL
		TWA (Vapour)	25 ppm	ACGIH
		STEL (Vapour)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m ³	ACGIH
xylene	1330-20-7	WES-TWA	50 ppm 217 mg/m ³	NZ OEL
Further information: Ototoxin, Exposure can also be estimated by biological monitoring				

TENACITY

Version 4.0 Revision Date: 22.04.2025 SDS Number: S1354362565 Date of last issue: -
Date of first issue: 22.04.2025

		TWA	20 ppm	ACGIH
--	--	-----	--------	-------

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
xylene	1330-20-7	Methylhip-puric acid	Urine	End of shift	1.5 g/l	NZ BEI
		Methylhip-puric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g cre-atinine	ACGIH BEI

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

Section 9: Physical and chemical properties

Appearance : dispersion

Colour : beige to brown

Odour : Faint pleasant

Odour Threshold : No data available

pH : 2.6
Concentration: 100 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

Relative vapour density	:	No data available
Density	:	1.19 g/cm ³ (25 °C)
Solubility(ies)	:	
Water solubility	:	completely miscible
Solubility in other solvents	:	Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	405 °C
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	2,760 mPa,s (20 °C) 2,110 mPa,s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	44.6 mN/m, 20 °C
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Ingestion Inhalation Skin contact Eye contact
-----------------	---	--

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:**mesotrione (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

ethanediol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

xylene:

Acute oral toxicity : LD50 (Rat, female): 3,523 mg/kg

Acute inhalation toxicity : LC50 (Rat): 27.124 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12,126 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

Components:**mesotrione (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

xylene:

Species	:	Rabbit
Result	:	Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:**mesotrione (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

xylene:

Species	:	Rabbit
Result	:	Eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Components:**mesotrione (ISO):**

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

xylene:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

Result : Not a skin sensitizer.

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Components:**mesotrione (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

xylene:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:**mesotrione (ISO):**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

xylene:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:**mesotrione (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

xylene:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

STOT - single exposure

Not classified due to lack of data.

Components:**xylene:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

mesotrione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ethanediol:

Target Organs : Kidney
 Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

xylene:

Target Organs : Central nervous system, Kidney, Liver
 Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified due to lack of data.

Components:

xylene:

May be fatal if swallowed and enters airways.

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 180 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 180 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 26 mg/l Exposure time: 72 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.2 mg/l End point: Growth rate Exposure time: 72 h
		EC50 (Lemna gibba (gibbous duckweed)): 0.012 mg/l End point: Frond growth Exposure time: 14 d

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

- NOEC (*Lemna gibba* (gibbous duckweed)): 0.0025 mg/l
End point: Frond growth
Exposure time: 14 d
- Toxicity to soil dwelling organisms : LC50 (*Eisenia andrei* (red worm)): > 2,463 mg/kg
Exposure time: 14 d
- EC50 (*Eisenia andrei* (red worm)): Calculated value > 246.3 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 125 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
- LD50 (*Apis mellifera* (bees)): > 105 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
- LD50 (*Coturnix japonica* (Japanese quail)): > 2,000 mg/kg
End point: Acute oral toxicity

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.

Components:

mesotrione (ISO):

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 120 mg/l
Exposure time: 96 h
- LC50 (*Cyprinus carpio* (Carp)): > 97.1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 900 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 12 mg/l
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.75 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (*Lemna gibba* (gibbous duckweed)): 0.0301 mg/l
Exposure time: 7 d
- EC10 (*Lemna gibba* (gibbous duckweed)): 0.00187 mg/l

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

	End point: Growth rate Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 12.5 mg/l Exposure time: 36 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 180 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg Exposure time: 14 d
	EC50 (Eisenia fetida (earthworms)): Calculated value > 200 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg End point: Acute oral toxicity
	LD50 (Apis mellifera (bees)): > 11 µg/bee Exposure time: 48 h End point: Acute oral toxicity
	LD50 (Apis mellifera (bees)): > 100 µg/bee Exposure time: 48 h End point: Acute contact toxicity

ethanediol:

Toxicity to microorganisms	: EC50 (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
----------------------------	---

xylene:

Toxicity to algae/aquatic plants	: EC50: 2.2 mg/l Exposure time: 72 h
	NOEC: 0.44 mg/l Exposure time: 72 h

Persistence and degradability

Components:

mesotrione (ISO):

Stability in water	: Degradation half life: > 30 d (25 °C) Remarks: Persistent in water.
--------------------	--

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

ethanediol:

Biodegradability : Result: Readily biodegradable.

xylene:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****mesotrione (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.

Mobility in soil**Components:****mesotrione (ISO):**

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 6 - 105 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.**Other adverse effects****Components:****mesotrione (ISO):**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).**ethanediol:**Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

Section 13: Disposal considerations**Disposal methods**Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Refer to the product label for specific disposal/recycling information
Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental ex-

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

posure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Add rinsings to spray tank
Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz).
Empty containers can be landfilled, when in accordance with the local regulations.
Do not re-use empty containers.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOTRIONE)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (MESOTRIONE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOTRIONE)
Class : 9
Packing group : III

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOTRIONE)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002475

ACVM Reg. not required

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Record keeping is required

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

TENACITY

Version 4.0	Revision Date: 22.04.2025	SDS Number: S1354362565	Date of last issue: - Date of first issue: 22.04.2025
----------------	------------------------------	----------------------------	--

Revision Date : 22.04.2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NZ BEI	: New Zealand. Biological Exposure Indices
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
Syngenta	: Syngenta Occupational Exposure Limit
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-Ceiling	: Workplace Exposure Standard - Ceiling
Syngenta / TWA	: Time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

TENACITY

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.04.2025	S1354362565	Date of first issue: 22.04.2025

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / 6N