

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

SECTION 1: IDENTIFICATION

Product name : HERITAGE MAXX

Design code : A13972A

Manufacturer or supplier's detailsCompany : Syngenta Australia Pty Ltd (ABN 33 002 933 717)
www.syngenta.com.auAddress : 2 Lyonpark Road
Macquarie Park NSW 2113
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H360 May damage fertility or the unborn child.

Supplemental Hazard Statements : AUH066 Repeated exposure may cause skin dryness or cracking.

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
tetrahydro-2-furyl-methanol	97-99-4	>= 60 -<= 100
azoxystrobin (ISO)	131860-33-8	< 10
poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-	114535-82-9	< 10

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

In case of skin contact	: Call a physician or poison control centre immediately. Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	: Nonspecific No symptoms known or expected.
Notes to physician	: There is no specific antidote available. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Oxides of phosphorus
Specific extinguishing methods	: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	: Wear full protective clothing and self-contained breathing apparatus.
Hazchem Code	: •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
azoxystrobin (ISO)	131860-33-8	TWA	0.7 mg/m ³	Syngenta

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection
- Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm
- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : No special protective equipment required.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

Personal protective equipment should comply with relevant national standards

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	light amber to amber
Odour	:	mild
Odour Threshold	:	No data available
pH	:	2 - 7 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	75 °C Method: Seta closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.08 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	265 °C
Decomposition temperature	:	No data available

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

Viscosity
Viscosity, dynamic : 42.1 mPa,s (20 °C)
29.1 mPa,s (40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 40.3 mN/m, 20 °C

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Rat, female): 1,714 mg/kg

Acute inhalation toxicity : **LC50 (Rat, female): > 6.4 mg/l**
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: **The component/mixture is minimally toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.**

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

Components:

tetrahydro-2-furyl-methanol:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.698 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

Species : Rabbit
Result : Repeated exposure may cause skin dryness or cracking.

Components:

tetrahydro-2-furyl-methanol:

Result : No skin irritation

azoxystrobin (ISO):

Species : Rabbit
Result : No skin irritation

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**tetrahydro-2-furyl-methanol:**

Result : Eye irritation

azoxystrobin (ISO):

Species : Rabbit
Result : No eye irritation

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species : Rabbit
Result : Eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitisation**Product:**

Species : Guinea pig
Result : Does not cause skin sensitisation.

Components:**azoxystrobin (ISO):**

Species : Guinea pig
Result : Does not cause skin sensitisation.

Chronic toxicity**Germ cell mutagenicity****Components:****azoxystrobin (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****azoxystrobin (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

Reproductive toxicity

Components:

tetrahydro-2-furyl-methanol:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

azoxystrobin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

STOT - repeated exposure

Components:

azoxystrobin (ISO):

Target Organs : Bile duct
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.73 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.20 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.105 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5.57 mg/l
Exposure time: 96 h

Components:

azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l
Exposure time: 48 h

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

	EC50 (Americamysis): 0.055 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l Exposure time: 72 h
	EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l End point: Growth rate Exposure time: 72 h
	ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l Exposure time: 72 h
	NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l Exposure time: 28 d
	EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l Exposure time: 33 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.044 mg/l Exposure time: 21 d
	NOEC (Americamysis): 0.00954 mg/l Exposure time: 28 d
Toxicity to microorganisms	: IC50 (Pseudomonas putida): > 3.2 mg/l Exposure time: 6 h

Persistence and degradability

Components:

azoxystrobin (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 224 d Remarks: Persistent in water.

Bioaccumulative potential

Components:

azoxystrobin (ISO):

Bioaccumulation	: Remarks: Does not bioaccumulate.
-----------------	------------------------------------

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

Mobility in soil

Components:

azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.
Stability in soil : Dissipation time: 81.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

azoxystrobin (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Remarks: Weight of Evidence
Endocrine disrupting potential : Substance does not have endocrine disrupting properties.
Remarks: Weight of Evidence

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Non-returnable containers:
Triple rinse containers.
Add rinsings to spray tank
If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUSTER collection site (02 6206 6868, www.drummuster.org.au).
Empty containers can be landfilled, when in accordance with the local regulations.
If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.
Returnable containers:
Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

HERITAGE MAXX

Version 9.0	Revision Date: 08.07.2025	SDS Number: S23052973	Date of last issue: 29.09.2021 Date of first issue: 29.09.2021
----------------	------------------------------	--------------------------	---

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN)
 Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (AZOXYSTROBIN)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

National Regulations

ADG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: •3Z
Environmentally hazardous	: yes
Remarks	: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Dangerous Goods Code when transported by road or rail in: packagings, IBC's, or any other receptacle not exceeding 500 kg / 500 litres.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 5
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
Product Registration Number	: APVMA Approval No. 58324

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 08.07.2025
 Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

Syngenta	: Syngenta Occupational Exposure Limit
Syngenta / TWA	: Time weighted average

HERITAGE MAXX

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2021
9.0	08.07.2025	S23052973	Date of first issue: 29.09.2021

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / 6N